Journal of Biomedical Materials Research
Author Index—Volume 49

Abdul-Malak, N. See Chevallay, B., 448
Ahlroos, T. See Saikko, V., 147
Akagawa, Y. See Urabe, M., 17
Akaike, T. See Ono, K., 289
—; See Mikawa, M., 390
Akao, M. See Barralet, J., 176
Anderson, J. M. See Collier, T. O., 141
—; See Jenney, C. R., 435
Anselme, K.
—; Bigerelle, M.; Noel, B.; Dufresne, E.; Judas, D.; Iost, A.; Hardouin, P.: Qualitative and quantitative study of human osteoblast adhesion on materials with various surface roughnesses, 155
Aoki, H. See Barralet, J., 176
Arens, S. See Kraft, C. N., 192

Bačáková, L.
—; Mareš, V.; Bottone, M. G.; Pellicciari, C.; Lisá, V.; Švorčík, V.: Fluorine ion-implanted polystyrene improves growth and viability of vascular smooth muscle cells in culture, 369
Baldassarri, L. See Perilli, R., 53
Bang, G. See Solheim, E., 257
Barnes, F. H. See Daniels, A. U., 469
Barralet, J.
—; Akao, M.; Aoki, H.; Aoki, H.: Dissolution of dense carbonate apatite subcutaneously implanted in Wistar rats, 176
Beaupré, G. S. See Yerby, S. A., 127
Beruto, D. T.
—; Mezzasalma, S. A.; Capurro, M.; Botter, R.; Cirillo, P.: Use of α-tricalcium phosphate (TCP) as powders and as an aqueous dispersion to modify processing, microstructure, and mechanical properties of polymethylmethacrylate (PMMA) bone cements and to produce bone-substitute compounds, 498
Bianco, P. See Kon, E., 328
Bigerelle, M. See Anselme, K., 155
Black, J. See Hallab, N. J., 353
Borovetz, H. S. See Schaub, R. D., 460
Botter, R. See Beruto, D. T., 498
Bottone, M. G. See Bačáková, L., 369
Boulekbache, H. See Loty, C., 423
Boyde, A. See Kon, E., 328
Brash, J. L. See Sun, X., 66
—; See McClung, W. G., 409
Bräutigam, M. See Mikawa, M., 390
Brown, C. U.
—; Yeni, Y. N.; Norman, T. L.: Fracture toughness is dependent on bone location—A study of the femoral neck, femoral shaft, and the tibial shaft, 380
Burger, E. H. See Louwerse, R. T., 506

Caiazza, S. See Perilli, R., 53
Cancedda, R. See Kon, E., 328
Capurro, M. See Beruto, D. T., 498
Carey, D. H.
—The surface stability of polymers with adsorbed fibronectin, 12
Cartmell, J. S.
—; Dunn, M. G.: Effect of chemical treatments on tendon cellularity and mechanical properties (Technical note), 134
Chang, Y. J. See Marshall G. W., Jr., 338
Charlebois, S. J. See Daniels, A. U., 469
Chatelier, R. C. See Kingshott, P., 36
Chevallay, B.
—; Abdul-Malak, N.; Herbage, D.: Mouse fibroblasts in long-term culture within collagen three-dimensional scaffolds: Influence of crosslinking with diphenylphosphorylazide on matrix reorganization, growth, and biosynthetic and proteolytic activities, 448
Chiba, D. See Urabe, M., 17
Chistolini, P. See Kon, E., 328
Choi, S.-Y. See Lee, Y.-K., 233
Chu, C. C. See Lee, K.-H., 25
Chu, C.-C. See Kim, S.-H., 517
Cirillo, P. See Beruto, D. T., 498
Clapper, D. L. See McClung, W. G., 409
Clèries, L.
—; Fernández-Pradas, J. M.; Morenza, J. L.: Bone growth on and resorption of calcium phosphate coatings obtained by pulsed laser deposition, 43
Collier, T. O.
—; Thomas, C. H.; Anderson, J. M.; Healy, K. E.: Surface chemistry control of monocyte and macrophage adhesion, morphology, and fusion (Technical note), 141
Corsi, A. See Kon, E., 328
Crotti, T. N. See Haynes, D. R., 167

Dalmeyer, R. A. J. See Sakkers, R. J. B., 312
Daniels, A. U.
—; Barnes, F. H.; Charlebois, S. J.; Smith, R. A.: Macrophage cytokine response to particles and lipopolysaccharide *in vitro*, 469
DeFilippis, C. See McFarland, C. D., 200
de Jesus Vieira Saramago, B. See do Serro, A. P. V. A., 345
de Koning, M. H. M. T. See Louwerse, R. T., 506
de Leij, L. F. M. H. See Khouw, I. M. S. L., 297
de Wijn, J. R. See Sakkers, R. J. B., 312
Deng, X. See Marois, Y., 216
do Serro, A. P. V. A.
—; Fernandes, A. C.; de Jesus Vieira Saramago, B.: Calcium phosphate deposition on titanium surfaces in the presence of fibronectin, 345
Dollase, W. A. See Keller, L., 244
Ducheyne, P. See Radin, S., 264
Dufresne, E. See Anselme, K., 155
Dunn, M. G. See Cartmell, J. S., 134

Edelman, E. R. See Noh, I., 112
Endo, K. See Suzuki, K., 528
Evans, C. H. See Sechriest, V. F., 534

Falaize, S. See Radin, S., 264
Fernandes, A. C. See do Serro, A. P. V. A., 345
Fernández-Pradas, J. M. See Clèries, L., 43
Fialdes, P. See Laffargue, P., 415
Forest, N. See Loty, C., 423
Formisano, G. See Perilli, R., 53
Frayssinet, P. See Laffargue, P., 415
Fu, F. H. See Sechriest, V. F., 534
Fujita, H.
—; Ido, K.; Matsuda, Y.; Iida, H.; Oka, M.; Kitamura, Y.; Nakamura, T.: Evaluation of bioactive bone cement in canine total hip arthroplasty, 273

Galante, J. O. See Hallab, N. J., 353
Gansky, S. A. See Marshall G. W., Jr., 338
Giardino, R. See Kon, E., 328
Girardin, E.
—; Millet, P.; Lodini, A.: X-ray and neutron diffraction studies of crystallinity in hydroxyapatite coatings, 211
Goei, S. W. See Louwerse, R. T., 506
Gogolewski, S. See Gugala, Z., 183
Goodman, S. B. See Yerby, S. A., 127
Griesser, H. J. See Kingshott, P., 36
Gugala, Z.
—; Gogolewski, S.: *In vitro* growth and activity of primary chondrocytes on a resorbable polylactide three-dimensional scaffold, 183
Guidoin, R. See Marois, Y., 216

Hagerty, R. D.
—; Salzmann, D. L.; Kleinert, L. B.; Williams, S. K.: Cellular proliferation and macrophage populations associated with implanted expanded polytetrafluoroethylene and polyethyleneterephthalate, 489
Hallab, N. J.
—; Jacobs, J. J.; Skipor, A.; Black, J.; Mikecz, K.; Galante, J. O.: Systemic metal–protein binding associated with total joint replacement arthroplasty, 353
Hammond, A. See Radin, S., 264
Hanawa, T. See Mu, Y., 238
Hansis, M. See Kraft, C. N., 192
Hardouin, P. See Anselme, K., 155
Hashimoto, T. See Suzuki, K., 528
Hautaniemi, J. See Räisänen, L., 79
Haynes, D. R.
—; Crotti, T. N.; Haywood, M. R.: Corrosion of and changes in biological effects of cobalt chrome alloy and 316L stainless steel prosthetic particles with age, 167
Haywood, M. R. See Haynes, D. R., 167
Healy, K. E. See Collier, T. O., 141
—; See McFarland, C. D., 200
Herbage, D. See Chevallay, B., 448
Heyligers, I. C. See Louwerse, R. T., 506
Hildebrand, H. F. See Laffargue, P., 415
Hlady, V. See Webb, K., 362
Hormia, M. See Räisänen, L., 79
Hosokawa, R. See Urabe, M., 17
Hu, S.-P. See McClung, W. G., 409

Ido, K. See Fujita, H., 273
Iida, H. See Fujita, H., 273
Inoue, Y. See Sugamori, T., 225
Iost, A. See Anselme, K., 155
Ishihara, M. See Ono, K., 289
Ishikawa, K. See Ono, K., 289
Iwase, H. See Sugamori, T., 225

Jacobs, J. J. See Hallab, N. J., 353
Jenney, C. R.
—; Anderson, J. M.: Adsorbed serum proteins responsible for surface dependent human macrophage behavior, 435
Judas, D. See Anselme, K., 155
Juhanoja, J. See Räisänen, L., 79

Kameneva, M. V. See Schaub, R. D., 460
Kawanabe, K. See Kobayashi, M., 319
Keller, L.
—; Dollase, W. A.: X-ray determination of crystalline hydroxyapatite to amorphous calcium-phosphate ratio in plasma sprayed coatings, 244
Khouw, I. M. S. L.
—; van Wachem, P. B.; van der Worp, R. J.; van den Berg, T. K.; de Leij, L. F. M. H.; van Luyn, M. J. A.: Systemic anti-IFN-γ treatment and role of macrophage subsets in the foreign body reaction to dermal sheep collagen in rats, 297
Kikutani, T. See Kobayashi, M., 319
Kim, H.-M. See Loty, C., 423
Kim, K.-N. See Lee, Y.-K., 233
Kim, S.-H.
—; Chu, C.-C.: Synthesis and characterization of dextran–methacrylate hydrogels and structural study by SEM, 517
Kingshott, P.
—; St John, H. A. W.; Chatelier, R. C.; Griesser, H. J.: Matrix-assisted laser desorption ionization mass spectrometry detection of proteins adsorbed *in vivo* onto contact lenses, 36
Kitamura, Y. See Fujita, H., 273
Kivilahti, J. See Räisänen, L., 79
Klein-Nulend, J. See Louwerse, R. T., 506
Kleinert, L. B. See Hagerty, R. D., 489
Kobayashi, M. See Okada, Y., 106
—; Shinzato, S.; Kawanabe, K.; Neo, M.; Matsushita, M.; Kokubo, T.; Kikutani, T.; Nakamura, T.: Alumina powder/Bis-GMA composite: Effect of filler content on mechanical properties and osteoconductivity, 319
Kobayashi, T. See Mu, Y., 238
Kohles, S. S.
—; Martinez, D. A.: Elastic and physicochemical relationships within cortical bone, 479
Kokubo, T. See Okada, Y., 106
—; See Kobayashi, M., 319
—; See Loty, C., 423
Kon, E.
—; Muraglia, A.; Corsi, A.; Bianco, P.; Marcacci, M.; Martin, I.; Boyde, A.; Ruspantini, I.; Chistolini, P.; Rocca, M.; Giardino, R.; Cancedda, R.; Quarto, R.: Autologous bone marrow stromal cells loaded onto porous hydroxyapatite ceramic accelerate bone repair in critical-size defects of sheep long bones, 328
Könönen, M. See Räisänen, L., 79
Kottke-Marchant, K. See Murugesan, G., 396
Kraft, C. N.
—; Hansis, M.; Arens, S.; Menger, M. D.; Vollmar, B.: Striated muscle microvascular response to silver implants: A comparative *in vivo* study with titanium and stainless steel, 192

Kurita, A. See Ono, K., 289
Kurosawa, H. See Sugamori, T., 225

Laffargue, P.
—; Fialdes, P.; Frayssinet, P.; Rtaimate, M.; Hildebrand, H. F.; Marchandise, X.: Adsorption and release of insulin-like growth factor-I on porous tricalcium phosphate implant, 415
Latour R. A., Jr.;
—; Trembley, S. D.; Tian, Y.; Lickfield, G. C.; Wheeler, A. P.: Determination of apparent thermodynamic parameters for adsorption of a midchain peptidyl residue onto a glass surface, 58
Lee, K.-H.
—; Chu, C. C.: The role of superoxide ions in the degradation of synthetic absorbable sutures, 25
Lee, Y.-K.
—; Kim, K.-N.; Choi, S.-Y.: Effect of external stresses on calcium phosphate glass investigated by IR spectroscopy, 233
Lenz, R. See Marois, Y., 216
Lickfield, G. C. See Latour R. A., Jr., 58
Lindenhayn, K. See Perka, C., 305
Lisá, V. See Bačáková, L., 369
Lodini, A. See Girardin, E., 211
Losito, I. See Zambonin, G., 120
Loty, C.
—; Sautier, J.-M.; Boulekbache, H.; Kokubo, T.; Kim, H.-M.; Forest, N.: *In vitro* bone formation on a bone-like apatite layer prepared by a biomimetic process on a bioactive glass–ceramic, 423
Louwerse, R. T.
—; Heyligers, I. C.; Klein-Nulend, J.; Sugihara, S.; van Kampen, G. P. J.; Semeins, C. M.; Goei, S. W.; de Koning, M. H. M. T.; Wuisman, P. I. J. M.; Burger, E. H.: Use of recombinant human osteogenic protein-1 for the repair of subchondral defects in articular cartilage in goats, 506
Lovich, M. A. See Noh, I., 112

Maeda, M. See Sugamori, T., 225
Marcacci, M. See Kon, E., 328
Marchandise, X. See Laffargue, P., 415
Marchant, R. E. See Murugesan, G., 396
Mareš, V. See Bačáková, L., 369
Marois, Y.
—; Zhang, Z.; Vert, M.; Deng, X.; Lenz, R.; Guidoin, R.: Mechanism and rate of degradation of polyhydroxyoctanoate films in aqueous media: A long-term *in vitro* study, 216
Marshall G. W., Jr.;
—; Chang, Y. J.; Saeki, K.; Gansky, S. A.; Marshall, S. J.: Citric acid etching of cervical sclerotic dentin lesions: An AFM study, 338
Marshall, S. J. See Marshall G. W., Jr., 338
Martin, I. See Kon, E., 328
Martinez, D. A. See Kohles, S. S., 479
Maruyama, A. See Mikawa, M., 390
Marziano, M. L. See Perilli, R., 53
Matsuda, Y. See Fujita, H., 273
Matsushita, M. See Okada, Y., 106
—; See Kobayashi, M., 319
Matthew, H. W. See Sechriest, V. F., 534
McClung, W. G.
—; Clapper, D. L.; Hu, S.-P.; Brash, J. L.: Adsorption of plasminogen from human plasma to lysine-containing surfaces, 409
McFarland, C. D.
—; Thomas, C. H.; DeFilippis, C.; Steele, J. G.; Healy, K. E.: Protein adsorption and cell attachment to patterned surfaces, 200
Menger, M. D. See Kraft, C. N., 192
Mezzasalma, S. A. See Beruto, D. T., 498
Miao, Y. J. See Sechriest, V. F., 534
Mikawa, M.
—; Miwa, N.; Bräutigam, M.; Akaike, T.; Maruyama, A.: Gd^{3+}-loaded polyion complex for pH depiction with magnetic resonance imaging, 390
Mikecz, K. See Hallab, N. J., 353
Millet, P. See Girardin, E., 211
Miwa, N. See Mikawa, M., 390
Morenza, J. L. See Clèries, L., 43
Mu, Y.
—; Kobayashi, T.; Sumita, M.; Yamamoto, A.; Hanawa, T.: Metal ion release from titanium with active oxygen species generated by rat macrophages *in vitro*, 238
Muraglia, A. See Kon, E., 328
Murugesan, G.
—; Rani, M. R. S.; Ransohoff, R. M.; Marchant, R. E.; Kottke-Marchant, K.: Endothelial cell expression of monocyte chemotactic protein-1, tissue factor, and thrombomodulin on hydrophilic plasma polymers, 396

Nakamura, A. See Nakaoka, R., 99
Nakamura, T. See Okada, Y., 106
—; See Fujita, H., 273
—; See Kobayashi, M., 319
Nakaoka, R.
—; Tsuchiya, T.; Nakamura, A.: Studies on the mechanisms of turmorigenesis induced by polyetherurethane in rats: Production of superoxide, tumor necrosis factor, and interleukin 1 from macrophages cultured on different polyetherurethanes, 99
Neo, M. See Okada, Y., 106
—; See Kobayashi, M., 319
Nishimura, Y. See Suzuki, K., 528
Niyibizi, C. See Sechriest, V. F., 534
Noel, B. See Anselme, K., 155
Noh, I.
—; Lovich, M. A.; Edelman, E. R.: Mechanisms of heparin transport through expanded poly(tetrafluoroethylene) vascular grafts, 112
Norman, T. L. See Brown, C. U., 380

Ohashi, K. L. See Yerby, S. A., 127
Ohnishi, K. See Suzuki, K., 528
Oka, M. See Fujita, H., 273
Okada, Y.
—; Kobayashi, M.; Neo, M.; Shinzato, S.; Matsushita, M.; Kokubo, T.; Nakamura, T.: Ultrastructure of the interface between alumina bead composite and bone, 106
Ono, K.
—; Saito, Y.; Yura, H.; Ishikawa, K.; Kurita, A.; Akaike, T.; Ishihara, M.: Photocrosslinkable chitosan as a biological adhesive, 289

Paal, A. F. See Yerby, S. A., 127
Pellicciari, C. See Bačáková, L., 369
Perilli, R.
—; Marziano, M. L.; Formisano, G.; Caiazza, S.; Scorcia, G.; Baldassarri, L.: Alteration of organized structure of biofilm formed by *Staphylococcus epidermidis* on soft contact lenses, 53
Perka, C.
—; Spitzer, R.-S.; Lindenhayn, K.; Sittinger, M.; Schultz, O.: Matrix-mixed culture: New methodology for chondrocyte culture and preparation of cartilage transplants, 305

Quarto, R. See Kon, E., 328

Radin, S.
—; Ducheyne, P.; Falaize, S.; Hammond, A.: *In vitro* transformation of bioactive glass granules into Ca-P shells, 264
Räisänen, L.
—; Könönen, M.; Juhanoja, J.; Varpavaara, P.; Hautaniemi, J.; Kivilahti, J.; Hormia, M.: Expression of cell adhesion complexes in epithelial cells seeded on biomaterial surfaces, 79
Rani, M. R. S. See Murugesan, G., 396
Ransohoff, R. M. See Murugesan, G., 396
Ratner, B. D. See Shi, H., 1
Rocca, M. See Kon, E., 328
Rtaimate, M. See Laffargue, P., 415
Ruspantini, I. See Kon, E., 328

Saeki, K. See Marshall G. W., Jr., 338
Saikko, V.
—; Ahlroos, T.: Wear simulation of UHMWPE for total hip replacement with a multidirectional motion pin-on-disk device: Effects of counterface material, contact area, and lubricant, 147
Saito, Y. See Ono, K., 289
Sakkers, R. J. B.
—; Dalmeyer, R. A. J.; de Wijn, J. R.; van Blitterswijk, C. A.: Use of bone-bonding hydrogel copolymers in bone: An *in vitro* and *in vivo* study of expanding PEO-PBT copolymers in goat femora, 312
Salzmann, D. L. See Hagerty, R. D., 489
Sato, Y. See Urabe, M., 17
Sautier, J.-M. See Loty, C., 423
Savadogo, O. See Thierry, B., 88
Schaub, R. D.
—; Kameneva, M. V.; Borovetz, H. S.; Wagner, W. R.: Assessing acute platelet adhesion on opaque metallic and polymeric biomaterials with fiber optic microscopy, 460
Schultz, O. See Perka, C., 305
Scorcia, G. See Perilli, R., 53
Sechriest, V. F.
—; Miao, Y. J.; Niyibizi, C.; Westerhausen-Larson, A.; Matthew, H. W.; Evans, C. H.; Fu, F. H.; Suh, J.-K.: GAG-augmented polysaccharide hydrogel: A novel biocompatible and biodegradable material to support chondrogenesis, 534
Semeins, C. M. See Louwerse, R. T., 506
Sheardown, H. See Sun, X., 66
Shi, H.
—; Ratner, B. D.: Template recognition of protein-imprinted polymer surfaces (Student Research Award in the Doctoral Degree Candidate Category, 25th Annual Meeting of the Society for Biomaterials, Providence, RI, April 28–May 2, 1999), 1
Shinzato, S. See Okada, Y., 106
—; See Kobayashi, M., 319
Sittinger, M. See Perka, C., 305
Skipor, A. See Hallab, N. J., 353
Smith, R. A. See Daniels, A. U., 469
Söderling, E. See Tanner, J., 250
Solheim, E.
—; Sudmann, B.; Bang, G.; Sudmann, E.: Biocompatibility and effect on osteogenesis of poly(ortho ester) compared to poly(DL-lactic acid), 257
Spitzer, R.-S. See Perka, C., 305
St John, H. A. W. See Kingshott, P., 36
Steele, J. G. See McFarland, C. D., 200
Sudmann, B. See Solheim, E., 257
Sudmann, E. See Solheim, E., 257
Sugamori, T.
—; Iwase, H.; Maeda, M.; Inoue, Y.; Kurosawa, H.: Local hemostatic effects of microcrystalline partially deacetylated chitin hydrochloride, 225
Sugihara, S. See Louwerse, R. T., 506
Suh, J.-K. See Sechriest, V. F., 534
Sumita, M. See Mu, Y., 238
Sun, X.
—; Sheardown, H.; Tengvall, P.; Brash, J. L.: Peptide modified gold-coated polyurethanes as thrombin scavenging surfaces, 66
Suzuki, K.
—; Suzuki, Y.; Tanihara, M.; Ohnishi, K.; Hashimoto, T.; Endo, K.; Nishimura, Y.: Reconstruction of rat peripheral nerve gap without sutures using freeze-dried alginate gel, 528
Suzuki, Y. See Suzuki, K., 528
Švorčík, V. See Bačáková, L., 369

Tabrizian, M. See Thierry, B., 88
Tanihara, M. See Suzuki, K., 528
Tanner, J.
—; Vallittu, P. K.; Söderling, E.: Adherence of *Streptococcus mutans* to an E-glass fiber–reinforced composite and conventional restorative materials used in prosthetic dentistry, 250
Tengvall, P. See Sun, X., 66
Thierry, B.
—; Tabrizian, M.; Savadogo, O.; Yahia, L'H.: Effects of sterilization processes on NiTi alloy: Surface characterization, 88
Thomas, C. H. See Collier, T. O., 141
—; See McFarland, C. D., 200
Tian, Y. See Latour R. A., Jr., 58
Trembley, S. D. See Latour R. A., Jr., 58
Tresco, P. A. See Webb, K., 362
Triffitt, J. T. See Zambonin, G., 120
Tsuchiya, T. See Nakaoka, R., 99

Urabe, M.
—; Hosokawa, R.; Chiba, D.; Sato, Y.; Akagawa, Y.: Morphogenetic behavior of periodontium on inorganic implant materials: An experimental study of canines, 17

Vallittu, P. K. See Tanner, J., 250
van Blitterswijk, C. A. See Sakkers, R. J. B., 312
van den Berg, T. K. See Khouw, I. M. S. L., 297
van der Worp, R. J. See Khouw, I. M. S. L., 297
van Kampen, G. P. J. See Louwerse, R. T., 506
van Luyn, M. J. A. See Khouw, I. M. S. L., 297
van Wachem, P. B. See Khouw, I. M. S. L., 297
Varpavaara, P. See Räisänen, L., 79
Vert, M. See Marois, Y., 216
Vollmar, B. See Kraft, C. N., 192

Wagner, W. R. See Schaub, R. D., 460
Webb, K.
—; Hlady, V.; Tresco, P. A.: Relationships among cell attachment, spreading, cytoskeletal organization, and migration rate for anchorage-dependent cells on model surfaces, 362

Westerhausen-Larson, A. See Sechriest, V. F., 534
Wheeler, A. P. See Latour R. A., Jr., 58
Williams, S. K. See Hagerty, R. D., 489
Wuisman, P. I. J. M. See Louwerse, R. T., 506

Yahiá, L'H. See Thierry, B., 88
Yamamoto, A. See Mu, Y., 238
Yeni, Y. N. See Brown, C. U., 380
Yerby, S. A.
—; Paal, A. F.; Young, P. M.; Beaupré, G. S.; Ohashi, K. L.; Goodman, S. B.: The effect of a silane coupling agent on the bond strength of bone cement and cobalt–chrome alloy, 127
Young, P. M. See Yerby, S. A., 127
Yura, H. See Ono, K., 289

Zambonin, C. G. See Zambonin, G., 120
Zambonin, G.
—; Losito, I.; Triffitt, J. T.; Zambonin, C. G.: Detection of collagen synthesis by human osteoblasts on a tricalcium phosphate hydroxyapatite: An X-ray photoelectron spectroscopy investigation, 120
Zhang, Z. See Marois, Y., 216

Journal of Biomedical Materials Research
Author Index—Volume 50

Abatangelo, G. See Radice, M., 101
Agrawal, C. M. See Cordewener, F. W., 59
Akaike, T. See Ishihara, M., 144
Akashi, M. See Furuzono, T., 344
Alfonsi, S. See Chiesa, R., 381
Anderson, J. See Lemoine, P., 313
Anderson, J. M. See Jenney, C. R., 281
Antonov, E. N. See Lo, W. J., 536
Autefage, A. See Frayssinet, P., 125

Bae, Y. H. See Jeong, B., 171
Bagratashvili, V. N. See Lo, W. J., 536
Baleani, M.
—; Cristofolini, L.; Toni, A.: Initial stability of a new hybrid fixation hip stem: Experimental measurement of implant–bone micromotion under torsional load in comparison with cemented and cementless stems, 605
Ball, M. D. See Lo, W. J., 536
Banerjee, P.
—; Irvine, D. J.; Mayes, A. M.; Griffith, L. G.: Polymer latexes for cell-resistant and cell-interactive surfaces, 331
Battaliard, C. See Radice, M., 101
Behar-Cohen, F. See Einmahl, S., 566
Bernache–Assolant, D. See Redey, S. A., 353
Beumer, G. J. See Steele, J. G., 475
Bianco–Peled, H. See Dori, Y., 75
Binner, J. G. P. See Sepulveda, P., 27
Blom, E. J.
—; Klein–Nulend, J.; Klein, C. P. A. T.; Kurashina, K.; van Waas, M. A. J.; Burger, E. H.: Transforming growth factor-β1 incorporated during setting in calcium phosphate cement stimulates bone cell differentiation *in vitro*, 67
Boelens, J. J.
—; Zaat, S. A. J.; Meeldijk, J.; Dankert, J.: Subcutaneous abscess formation around catheters induced by viable and nonviable *Staphylococcus epidermidis* as well as by small amounts of bacterial cell wall components, 546
Bonfield, W. See Rehman, I., 97
Bouler, J. M. See Daculsi, G., 1
Bourgeois, Y. See Robitaille, R., 420
Braem, MJA. See McCabe, J. F., 375
Bressiani, J. C. See Sepulveda, P., 27
Brouwer, L. A. See Cadée, J. A., 397
Brun, P. See Radice, M., 101
Bryers, J. D. See Hendricks, S. K., 160
Buldini, P. L.
—; Mevoli, A.; Sharma, J. L.: Ion chromatographic determination of metals in biocompatibility testing, 131
Burger, E. H. See Blom, E. J., 67
Busscher, H. J.
—; Norde, W.: Limiting values for bacterial ζ potentials (Letter to the Editor), 463
—; See Gottenbos, B., 208

Cadée, J. A.
—; van Luyn, M. J. A.; Brouwer, L. A.; Plantinga, J. A.; van Wachem, P. B.; de Groot, C. J.; den Otter, W.; Hennink, W. E.: *In vivo* biocompatibility of dextran-based hydrogels, 397
Camp, J. P. See Collier, J. H., 574
Cenni, E.
—; Granchi, D.; Ciapetti, G.; Savarino, L.; Corradini, A.; Di Leo, A.: Cytokine expression *in vitro* by cultured human endothelial cells in contact with polyethylene terephthalate coated with pyrolytic carbon and collagen, 483
Chang, E. See Lee, T. M., 499
Chauvaud, D. See Einmahl, S., 566
Chen, L.-Y. See Young, T.-H., 490
Chiesa, R.
—; Tanzi, M. C.; Alfonsi, S.; Paracchini, L.; Moscatelli, M.; Cigada, A.: Enhanced wear performance of highly crosslinked UHMWPE for artificial joints, 381
Chlumecky, V. See Newman, K. D., 591
Choi, S.-Y. See Lee, Y.-K., 280
Ciapetti, G. See Savarino, L., 21
—; See Cenni, E., 483
Cigada, A. See Chiesa, R., 381
Cohen, H. See Layani, J. D., 199
Collard, P. See Frayssinet, P., 125
Collier, J. H.
—; Camp, J. P.; Hudson, T. W.; Schmidt, C. E.: Synthesis and characterization of polypyrrole–hyaluronic acid composite biomaterials for tissue engineering applications, 574
Cooper, S. L. See Tegoulia, V. A., 291
Cordewener, F. W.
—; Dijkgraaf, L. C.; Ong, J. L.; Agrawal, C. M.; Zardeneta, G.; Milam, S. B.; Schmitz, J. P.: Particulate retrieval of hydrolytically degraded poly(lactide-*co*-glycolide) polymers, 59
Corradini, A. See Cenni, E., 483
Cortivo, R. See Radice, M., 101
Cristofolini, L. See Baleani, M., 605
Cui, F. Z. See Du, C., 518
Cuisinier, F. J. G. See Layani, J. D., 199

Daculsi, G.
—; Rohanizadeh, R.; Weiss, P.; Bouler, J. M.: Crystal polymer interaction with new injectable bone substitute; SEM and Hr TEM study, 1
Dankert, J. See Boelens, J. J., 546
D'Augusta, D. See Uludag, H., 227
de Groot, C. J. See Cadée, J. A., 397
—; See Du, C., 518
Delannoy, P. See Redey, S. A., 353
de Leij, L. F. M. H. See Khouw, I. M. S. L., 259
Dellacherie, E. See Rouzes, C., 557
den Otter, W. See Cadée, J. A., 397
De Sousa Delgado, A. See Rouzes, C., 557

D'Hermies, F. See Einmahl, S., 566
Diamond, D. See Lemoine, P., 313
Dijkgraaf, L. C. See Cordewener, F. W., 59
Di Leo, A. See Cenni, E., 483
Doeller, J. E. See Messer, R. L. W., 598
Doi, Y. See Shibutani, T., 153
Donati, M. E. See Savarino, L., 21
Dori, Y.
—; Bianco–Peled, H.; Satija, S. K.; Fields, G. B.; McCarthy, J. B.; Tirrell, M.: Ligand accessibility as means to control cell response to bioactive bilayer membranes, 75
Du, C.
—; Cui, F. Z.; Zhang, W.; Feng, Q. L.; Zhu, X. D.; de Groot, K.: Formation of calcium phosphate/collagen composites through mineralization of collagen matrix, 518

Einmahl, S.
—; Behar-Cohen, F.; Tabatabay, C.; Savoldelli, M.; D'Hermies, F.; Chauvaud, D.; Heller, J.; Gurny, R.: A viscous bioerodible poly(ortho ester) as a new biomaterial for intraocular application, 566
Eliaz, R. E.
—; Kost, J.: Characterization of a polymeric PLGA-injectable implant delivery system for the controlled release of proteins, 388

Feng, Q. L. See Du, C., 518
Fields, G. B. See Dori, Y., 75
Frayssinet, P.
—; Mathon, D.; Lerch, A.; Autefage, A.; Collard, P.; Rouquet, N.: Osseointegration of composite calcium phosphate bioceramics, 125
Frondoza, C. G. See Sohrabi, A., 43
Furukawa, T.
—; Matsusue, Y.; Yasunaga, T.; Nakagawa, Y.; Okada, Y.; Shikinami, Y.; Okuno, M.; Nakamura, T.: Histomorphometric study on high-strength hydroxyapatite/poly(L-lactide) composite rods for internal fixation of bone fractures, 410
Furuzono, T.
—; Taguchi, T.; Kishida, A.; Akashi, M.; Tamada, Y.: Preparation and characterization of apatite deposited on silk fabric using an alternate soaking process, 344

Golden, J. See Uludag, H., 227
Gottenbos, B.
—; van der Mei, H. C.; Busscher, H. J.: Initial adhesion and surface growth of *Staphylococcus epidermidis* and *Pseudomonas aeruginosa* on biomedical polymers, 208
Grainger, D. W. See McClary, K. B., 428
Granchi, D. See Savarino, L., 21
—; See Cenni, E., 483
Grant, D. M. See Lo, W. J., 536
Gref, R. See Rouzes, C., 557
Griesser, H. J. See Steele, J. G., 475
Griffith, L. G. See Banerjee, P., 331
Grill, W. M.
—; Mortimer, J. T.: Neural and connective tissue response to long-term implantation of multiple contact nerve cuff electrodes, 215
Gurny, R. See Einmahl, S., 566

Haagmans, B. L. See Khouw, I. M. S. L., 259
Hallé, J.-P. See Robitaille, R., 420
Hari, P. R.
—; Paul, W.; Sharma, C. P.: Adsorption of human IgG on Cu^{2+}-immobilized cellulose affinity membrane: Preliminary study, 110
Hattori, H. See Ishihara, M., 144
Healy, K. E. See Model, M. A., 90
Heller, J. See Einmahl, S., 566
Hench, L. L. See Rehman, I., 97
Hendricks, S. K.
—; Kwok, C.; Shen, M.; Horbett, T. A.; Ratner, B. D.; Bryers, J. D.: Plasma-deposited membranes for controlled release of antibiotic to prevent bacterial adhesion and biofilm formation, 160
Henley, N. See Robitaille, R., 420
Hennink, W. E. See Cadée, J. A., 397
Higa, O. Z. See Sepulveda, P., 27
Holland, C. See Sohrabi, A., 43
Holly, C. E.
—; Yakubovich, R.: Processing cell-seeded polyester scaffolds for histology (Technical note), 276
Hooper, K. A.
—; Nickolas, T. L.; Yurkow, E. J.; Kohn, J.; Laskin, D. L.: Characterization of the inflammatory response to biomaterials using a rodent air pouch model, 365
Horbett, T. A. See Hendricks, S. K., 160
Howdle, S. M. See Lo, W. J., 536
Hudson, T. W. See Collier, J. H., 574
Hungerford, D. S. See Sohrabi, A., 43
Hyland, M. See Lemoine, P., 313
Hyon, S.-H. See Matsumura, K., 512

Ichinose, N. See Ito, A., 178
—; See Kawamura, H., 184
Imai, K. See Shibutani, T., 153
Irvine, D. J. See Banerjee, P., 331
Ishihara, K. See Mori, M., 191
Ishihara, M.
—; Saito, Y.; Yura, H.; Ono, K.; Ishikawa, K.; Hattori, H.; Akaike, T.; Kurita, A.: Heparin-carrying polystyrene to mediate cellular attachment and growth via interaction with growth factors, 144
Ishikawa, K. See Ishihara, M., 144
Isobe, M. See Mori, M., 191
Ito, A.
—; Ojima, K.; Naito, H.; Ichinose, N.; Tateishi, T.: Preparation, solubility, and cytocompatibility of zinc-releasing calcium phosphate ceramics, 178
—; See Kawamura, H., 184
Ito, E. See Uchida, K., 585
Iwanaga, H. See Shibutani, T., 153
Iwayama, Y. See Shibutani, T., 153

Jenney, C. R.
—; Anderson, J. M.: Adsorbed IgG: A potent adhesive substrate for human macrophages (Student Research Award in the Ph.D. Degree Candidate Category, World Biomaterials Congress 2000, Kamuela, HI, May 15–20, 2000), 281
Jeong, B.
—; Bae, Y. H.; Kim, S. W.: *In situ* gelation of PEG-PLGA-PEG triblock copolymer aqueous solutions and degradation thereof, 171
Johnson, G. See Steele, J. G., 475

Karsh, M. See Rehman, I., 97
Kato, H. See Miyazaki, T., 35
Katsube, K. See Uchio, Y., 138
Kawamura, H.
—; Ito, A.; Miyakawa, S.; Layrolle, P.; Ojima, K.; Ichinose, N.; Tateishi, T.: Stimulatory effect of zinc-releasing calcium phosphate implant on bone formation in rabbit femora, 184

Khouw, I. M. S. L.
—; van Wachem, P. B.; Plantinga, J. A.; Haagmans, B. L.; de Leij, L. F. M. H.; van Luyn, M. J. A.: Foreign-body reaction to dermal sheep collagen in interferon-γ-receptor knock-out mice, 259
Kikuchi, A. See Kwon, O. H., 82
—; See Uchida, K., 585
Kim, D. J. See Peter, S. J., 452
Kim, H.-M. See Miyazaki, T., 35
Kim, K.-N. See Lee, Y.-K., 280
Kim, S. W. See Jeong, B., 171
Kishida, A. See Furuzono, T., 344
Kitago, M. See Shibutani, T., 153
Klein, C. P. A. T. See Blom, E. J., 67
Klein–Nulend, J. See Blom, E. J., 67
Kohn, D. H. See Murphy, W. L., 50
Kohn, J. See Hooper, K. A., 365
Kokubo, T. See Miyazaki, T., 35
Kost, J. See Eliaz, R. E., 388
Kraus, D. W. See Messer, R. L. W., 598
Kue, R. See Sohrabi, A., 43
Kumagai, Y. See Sato, K., 16
Kurashina, K. See Blom, E. J., 67
Kurioka, H. See Uchio, Y., 138
Kurita, A. See Ishihara, M., 144
Kwok, C. See Hendricks, S. K., 160
Kwon, G. S. See Newman, K. D., 591
Kwon, O. H.
—; Kikuchi, A.; Yamato, M.; Sakurai, Y.; Okano, T.: Rapid cell sheet detachment from poly(*N*-isopropylacrylamide)-grafted porous cell culture membranes, 82
—; See Uchida, K., 585

Lacefield, W. R. See Zeng, H., 239
—; See Zeng, H., 248
Laskin, D. L. See Hooper, K. A., 365
Layani, J. D.
—; Cuisinier, F. J. G.; Steuer, P.; Cohen, H.; Voegel, J.-C.; Mayer, I.: High-resolution electron microscopy study of synthetic carbonate and aluminum containing apatites, 199
Layrolle, P. See Kawamura, H., 184
Leader, M. See Lemoine, P., 313
Leblond, F. A. See Robitaille, R., 420
Lee, T. M.
—; Chang, E.; Yang, C. Y.: A comparison of the surface characteristics and ion release of Ti6Al4V and heat-treated Ti6Al4V, 499
Lee, Y.-K.
—; Kim, K.-N.; Choi, S.-Y.: Erratum to "Effect of external stresses on calcium phosphate glass investigated by IR spectroscopy," 280
Lemoine, P.
—; Mailley, P.; Hyland, M.; McLaughlin, J. M.; McAdams, E.; Anderson, J.; Lynch, A.; Diamond, D.; Leader, M.: Swelling and delamination of multi-electrode sensor arrays studied by variable-pressure scanning electron microscopy, 313
Leng, Y. See Zhang, C., 267
Leonard, M. See Rouzes, C., 557
Lerch, A. See Frayssinet, P., 125
Li, J. See Uludag, H., 227
Lin, D.-T. See Young, T.-H., 490
Lo, W. J.
—; Grant, D. M.; Ball, M. D.; Welsh, B. S.; Howdle, S. M.; Antonov, E. N.; Bagratashvili, V. N.; Popov, V. K.: Physical, chemical, and biological characterization of pulsed laser deposited and plasma sputtered hydroxyapatite thin films on titanium alloy, 536
Loignon, M. See Robitaille, R., 420
Lu, L.
—; Stamatas, G. N.; Mikos, A. G.: Controlled release of transforming growth factor β1 from biodegradable polymer microparticles, 440
—; See Peter, S. J., 452
Lucas, L. C. See Messer, R. L. W., 598
Lynch, A. See Lemoine, P., 313

Mailley, P. See Lemoine, P., 313
Marchant, R. E. See Vacheethasanee, K., 302
Marie, P. J. See Redey, S. A., 353
Maruyama, N. See Yamamoto, A., 114
Mathon, D. See Frayssinet, P., 125
Matsumura, K.
—; Hyon, S.-H.; Nakajima, N.; Peng, C.; Tsutsumi, S.: Surface modification of poly(ethylene-*co*-vinyl alcohol) (EVA). Part I. Introduction of carboxyl groups and immobilization of collagen, 512
Matsusaki, M. See Uchio, Y., 138
Matsusue, Y. See Furukawa, T., 410
Mayer, I. See Layani, J. D., 199
Mayes, A. M. See Banerjee, P., 331
McAdams, E. See Lemoine, P., 313
McCabe, J. F.
—; Wang, Y.; Braem, MJA: Surface contact fatigue and flexural fatigue of dental restorative materials, 375
McCarthy, J. B. See Dori, Y., 75
McClary, K. B.
—; Ugarova, T.; Grainger, D. W.: Modulating fibroblast adhesion, spreading, and proliferation using self-assembled monolayer films of alkylthiolates on gold, 428
McLaughlin, J. M. See Lemoine, P., 313
McLean, K. M. See Steele, J. G., 475
Meeldijk, J. See Boelens, J. J., 546
Menning, A. See Nitschke, M., 340
Messer, R. L. W.
—; Doeller, J. E.; Kraus, D. W.; Lucas, L. C.: An investigation of fibroblast mitochondria enzyme activity and respiration in response to metallic ions released from dental alloys, 598
Mevoli, A. See Buldini, P. L., 131
Mikos, A. G. See Lu, L., 440
—; See Peter, S. J., 452
Milam, S. B. See Cordewener, F. W., 59
Miller, G. G. See Newman, K. D., 591
Miller, M. J. See Peter, S. J., 452
Mirov, S. See Zeng, H., 248
Mishima, S. See Yamamoto, A., 114
Miyaji, F. See Miyazaki, T., 35
Miyakawa, S. See Kawamura, H., 184
Miyazaki, T.
—; Kim, H.-M.; Miyaji, F.; Kokubo, T.; Kato, H.; Nakamura, T.: Bioactive tantalum metal prepared by NaOH treatment, 35
Model, M. A.
—; Healy, K. E.: Quantification of the surface density of a fluorescent label with the optical microscope (Technical Note), 90
Montanaro, L. See Savarino, L., 21
Mooney, D. J. See Murphy, W. L., 50
Mori, M.
—; Isobe, M.; Yamazaki, Y.; Ishihara, K.; Nakabayashi, N.: Restoration of segmental bone defects in rabbit radius by biodegradable capsules containing recombinant human bone morphogenetic protein-2, 191
Mortimer, J. T. See Grill, W. M., 215
Moscatelli, M. See Chiesa, R., 381
Murphy, W. L.
—; Kohn, D. H.; Mooney, D. J.: Growth of continuous bonelike mineral within porous poly(lactide-*co*-glycolide) scaffolds *in vitro*, 50

Nagle, D. See Sohrabi, A., 43
Naito, H. See Ito, A., 178
Nakabayashi, N. See Mori, M., 191

Nakagawa, Y. See Furukawa, T., 410
Nakajima, N. See Matsumura, K., 512
Nakamura, T. See Miyazaki, T., 35
—; See Furukawa, T., 410
Nardin, M. See Redey, S. A., 353
Newman, K. D.
—; Kwon, G. S.; Miller, G. G.; Chlumecky, V.; Samuel, J.: Cytoplasmic delivery of a macromolecular fluorescent probe by poly(*d,l*-lactic-co-glycolic acid) microspheres, 591
Nickolas, T. L. See Hooper, K. A., 365
Nishimura, Y. See Suzuki, Y., 405
Nitschke, M.
—; Menning, A.; Werner, C.: Immobilization of PEO-PPO-PEO triblock copolymers on PTFE-like fluorocarbon surfaces, 340
Nonami, T.
—; Tsutsumi, S.: Press-formable $CaO–MgO-SiO_2–TiO_2–Ag_2O$ glass as a biomaterial, 8
Norde, W. See Busscher, H. J., 463

Ochi, M. See Uchio, Y., 138
Ojima, K. See Ito, A., 178
—; See Kawamura, H., 184
Okada, Y. See Furukawa, T., 410
Okano, T. See Kwon, O. H., 82
—; See Uchida, K., 585
Okuno, M. See Furukawa, T., 410
Ong, J. L. See Cordewener, F. W., 59
Ono, K. See Ishihara, M., 144

Paracchini, L. See Chiesa, R., 381
Paul, W. See Hari, P. R., 110
Peng, C. See Matsumura, K., 512
Peter, S. J.
—; Lu, L.; Kim, D. J.; Stamatas, G. N.; Miller, M. J.; Yaszemski, M. J.; Mikos, A. G.: Effects of transforming growth factor β1 released from biodegradable polymer microparticles on marrow stromal osteoblasts cultured on poly(propylene fumarate) substrates, 452
Pizzoferrato, A. See Savarino, L., 21
Plantinga, J. A. See Khouw, I. M. S. L., 259
—; See Cadée, J. A., 397
Popov, V. K. See Lo, W. J., 536

Que, L.
—; Topoleski, L. D. T.: Third-body wear of cobalt-chromium-molybdenum implant alloys initiated by bone and poly(methyl methacrylate) particles, 322

Radice, M.
—; Brun, P.; Cortivo, R.; Scapinelli, R.; Battaliard, C.; Abatangelo, G.: Hyaluronan-based biopolymers as delivery vehicles for bone-marrow-derived mesenchymal progenitors, 101
Ratner, B. D. See Hendricks, S. K., 160
Redey, S. A.
—; Nardin, M.; Bernache–Assolant, D.; Rey, C.; Delannoy, P.; Sedel, L.; Marie, P. J.: Behavior of human osteoblastic cells on stoichiometric hydroxyapatite and type A carbonate apatite: Role of surface energy, 353
Rehman, I.
—; Karsh, M.; Hench, L. L.; Bonfield, W.: Analysis of apatite layers on glass–ceramic particulate using FTIR and FT-Raman spectroscopy, 97
Rey, C. See Redey, S. A., 353
Riedel, R. See Uludag, H., 227
Robitaille, R.
—; Leblond, F. A.; Bourgeois, Y.; Henley, N.; Loignon, M.; Hallé, J.-P.: Studies on small (<350 μm) alginate-poly-L-lysine microcapsules. V. Determination of carbohydrate and protein permeation through microcapsules by reverse-size exclusion chromatography, 420
Rogero, S. O. See Sepulveda, P., 27
Rohanizadeh, R. See Daculsi, G., 1
Rollo, G. See Savarino, L., 21
Rouquet, N. See Frayssinet, P., 125
Rouzes, C.
—; Gref, R.; Leonard, M.; De Sousa Delgado, A.; Dellacherie, E.: Surface modification of poly(lactic acid) nanospheres using hydrophobically modified dextrans as stabilizers in an o/w emulsion/evaporation technique, 557

Saito, Y. See Ishihara, M., 144
Saitou, A. See Suzuki, Y., 405
Sakai, K. See Uchida, K., 585
Sakurai, Y. See Kwon, O. H., 82
Samuel, J. See Newman, K. D., 591
Saneinejad, S.
—; Shoichet, M. S.: Patterned poly(chlorotrifluoroethylene) guides primary nerve cell adhesion and neurite outgrowth (Student Research Award in the Master's Degree Category, World Biomaterials Congress 2000, Kona, HI, May 15–20, 2000), 465
Satija, S. K. See Dori, Y., 75
Sato, K.
—; Kumagai, Y.; Tanaka, J.: Apatite formation on organic monolayers in simulated body environment, 16
Savarino, L.
—; Stea, S.; Granchi, D.; Visentin, M.; Ciapetti, G.; Donati, M. E.; Rollo, G.; Zinghi, G.; Pizzoferrato, A.; Montanaro, L.; Toni, A.: Sister chromatid exchanges and ion release in patients wearing fracture fixation devices, 21
—; See Cenni, E., 483
Savoldelli, M. See Einmahl, S., 566
Scapinelli, R. See Radice, M., 101
Schmidt, C. E. See Collier, J. H., 574
Schmitz, J. P. See Cordewener, F. W., 59
Sedel, L. See Redey, S. A., 353
Sepulveda, P.
—; Binner, J. G. P.; Rogero, S. O.; Higa, O. Z.; Bressiani, J. C.: Production of porous hydroxyapatite by the gel-casting of foams and cytotoxic evaluation, 27
Sharma, C. P. See Hari, P. R., 110
Sharma, J. L. See Buldini, P. L., 131
Shen, M. See Hendricks, S. K., 160
Shen, Y.
—; Sun, W.; Zhu, K. J.; Shen, Z.: Regulation of biodegradability and drug release behavior of aliphatic polyesters by blending, 528
Shen, Z. See Shen, Y., 528
Shibutani, T.
—; Iwanaga, H.; Imai, K.; Kitago, M.; Doi, Y.; Iwayama, Y.: Use of glass slides coated with apatite–collagen complexes for measurement of osteoclastic resorption activity, 153
Shikinami, Y. See Furukawa, T., 410
Shoichet, M. S. See Saneinejad, S., 465
Sohrabi, A.
—; Holland, C.; Kue, R.; Nagle, D.; Hungerford, D. S.; Frondoza, C. G.: Proinflammatory cytokine expression of IL-1β and TNF-α by human osteoblast-like MG-63 cells upon exposure to silicon nitride in vitro, 43
Stamatas, G. N. See Lu, L., 440
—; See Peter, S. J., 452
Stea, S. See Savarino, L., 21
Steele, J. G.
—; Johnson, G.; McLean, K. M.; Beumer, G. J.; Griesser, H. J.: Effect of porosity and surface

hydrophilicity on migration of epithelial tissue over synthetic polymer, 475
Steuer, P. See Layani, J. D., 199
Sufan, W. See Suzuki, Y., 405
Sumita, M. See Yamamoto, A., 114
Sun, W. See Shen, Y., 528
Suzuki, K. See Suzuki, Y., 405
Suzuki, Y.
—; Tanihara, M.; Suzuki, K.; Saitou, A.; Sufan, W.; Nishimura, Y.: Alginate hydrogel linked with synthetic oligopeptide derived from BMP-2 allows ectopic osteoinduction *in vivo*, 405

Tabatabay, C. See Einmahl, S., 566
Taguchi, T. See Furuzono, T., 344
Tamada, Y. See Furuzono, T., 344
Tanaka, J. See Sato, K., 16
Tanihara, M. See Suzuki, Y., 405
Tanzi, M. C. See Chiesa, R., 381
Tateishi, T. See Ito, A., 178
—; See Kawamura, H., 184
Tegoulia, V. A.
—; Cooper, S. L.: Leukocyte adhesion on model surfaces under flow: Effects of surface chemistry, protein adsorption, and shear rate (Student Research Award in the Ph.D. Degree Candidate Category, World Biomaterials Congress 2000, Kamuela, HI, May 15–20, 2000), 291
Timony, G. See Uludag, H., 227
Tirrell, M. See Dori, Y., 75
Toni, A. See Baleani, M., 605
—; See Savarino, L., 21
Topoleski, L. D. T. See Que, L., 322
Tsutsumi, S. See Nonami, T., 8
—; See Matsumura, K., 512

Uchida, K.
—; Yamato, M.; Ito, E.; Kwon, O. H.; Kikuchi, A.; Sakai, K.; Okano, T.: Two different types of nonthrombogenic surfaces: PEG suppresses platelet adhesion ATP-independently but HEMA-St block copolymer requires ATP consumption of platelets to prevent adhesion, 585
Uchio, Y.
—; Ochi, M.; Matsusaki, M.; Kurioka, H.; Katsube, K.: Human chondrocyte proliferation and matrix synthesis cultured in Atelocollagen® gel, 138
Ugarova, T. See McClary, K. B., 428
Uludag, H.
—; D'Augusta, D.; Golden, J.; Li, J.; Timony, G.; Riedel, R.; Wozney, J. M.: Implantation of recombinant human bone morphogenetic proteins with biomaterial carriers: A correlation between protein pharmacokinetics and osteoinduction in the rat ectopic model, 227

Vacheethasanee, K.
—; Marchant, R. E.: Surfactant polymers designed to suppress bacterial (*Staphylococcus epidermidis*) adhesion on biomaterials (Student Research Award in the Ph.D. Degree Candidate Category, World Biomaterials Congress 2000, Kamuela, HI, May 15–20, 2000), 302
van der Mei, H. C. See Gottenbos, B., 208
van Luyn, M. J. A. See Khouw, I. M. S. L., 259
—; See Cadée, J. A., 397
van Waas, M. A. J. See Blom, E. J., 67
van Wachem, P. B. See Khouw, I. M. S. L., 259
—; See Cadée, J. A., 397
Visentin, M. See Savarino, L., 21
Voegel, J.-C. See Layani, J. D., 199

Wang, Y. See McCabe, J. F., 375
Weiss, P. See Daculsi, G., 1
Welsh, B. S. See Lo, W. J., 536
Werner, C. See Nitschke, M., 340
Wozney, J. M. See Uludag, H., 227

Yakubovich, R. See Holy, C. E., 276
Yamamoto, A.
—; Mishima, S.; Maruyama, N.; Sumita, M.: Quantitative evaluation of cell attachment to glass, polystyrene, and fibronectin- or collagen-coated polystyrene by measurement of cell adhesive shear force and cell detachment energy, 114
Yamato, M. See Kwon, O. H., 82
—; See Uchida, K., 585
Yamazaki, Y. See Mori, M., 191
Yang, C. Y. See Lee, T. M., 499
Yasunaga, T. See Furukawa, T., 410
Yaszemski, M. J. See Peter, S. J., 452
Young, T.-H.
—; Lin, D.-T.; Chen, L.-Y.: Human monocyte adhesion and activation on crystalline polymers with different morphology and wettability *in vitro*, 490
Yura, H. See Ishihara, M., 144
Yurkow, E. J. See Hooper, K. A., 365

Zaat, S. A. J. See Boelens, J. J., 546
Zardeneta, G. See Cordewener, F. W., 59
Zeng, H.
—; Lacefield, W. R.: The study of surface transformation of pulsed laser deposited hydroxyapatite coatings, 239
—; Lacefield, W. R.; Mirov, S.: Structural and morphological study of pulsed laser deposited calcium phosphate bioceramic coatings: Influence of deposition conditions, laser parameters, and target properties, 248
Zhang, C.
—; Leng, Y.; Zhang, X.: *In vitro* stability of plasma-sprayed hydroxyapatite coatings on Ti-6Al-4V implants under cyclic loading, 267
Zhang, W. See Du, C., 518
Zhang, X. See Zhang, C., 267
Zhu, K. J. See Shen, Y., 528
Zhu, X. D. See Du, C., 518
Zinghi, G. See Savarino, L., 21

Journal of Biomedical Materials Research
Subject Index—Volume 49

α-tricalcium phosphate, aqueous dispersion, 498
AW glass–ceramic, 273
Abfraction, 338
Absorbable sutures, 25
Active oxygen species, 238
Adherence, 250
Adhesion, morphology, 141
Adsorbed serum protein, 435
Adsorption, 415
Adsorption thermodynamics, 58
Affinity binding, 1
Age, 380
Albumin, 147
Alginate, 305, 528
Allograft, 134
Alumina, 106, 319
Amorphous, 106
Amorphous calcium phosphate, 244
Animal model, 415
Articular chondrocyte, 534
Artificial nerve, 528
Aseptic loosening, 167

β1 integrin, 155
Bacterial polyesters, 216
Bioactive bone cement, 273
Bioactive composite, 498
Bioactive glass, 264
Bioactive glass–ceramic, 423
Biocompatibility, 192
Biodegradable polymers, 257
Biodegradation, 225
Biofilm, 53
Biofouling, 36
Biological adhesive, 289
Biomaterial, 534
Biomaterials, 53, 79, 200
Bis-GMA, 319
Bis-GMA–based resin, 106
Bis-GMA resin, 273
Blood compatible materials, 409
Bone, 312, 479
Bone bonding, 312, 423
Bone interface, 43
Bone marrow stromal cells, 328
Bone reconstruction, 328

Calcium phosphate coatings, 43
Calcium phosphate deposition, 345
Calcium phosphate glass: IR spectroscopy, 233
Canine, 273
Carbonate hydroxyapatite, 176
Cartilage, 506
Cartilage repair, 506
Cartilage transplantation, 305
Cell adhesion, 79, 155, 369
Cell attachment, 200, 362
Cell biomaterial interaction, 534
Cell culture, 305
Cell differentiation, 369
Cell proliferation, 369
Cell removal, 134
Cell spreading, 362
Cementum-like tissue, 17
Chitin, 289
Chitosan, 289, 534
Chondrocytes, 183
Coatings, 244
Cobalt–chrome, 127
Cobalt chrome alloy, 167
Collagen, 134
Collagen scaffold, 448
Composite, 319
Contact angles, 12
Contact lenses, 36
Contrast agent, 390
Copolymer, 312
Crosslinking with diphenylphosphorylazide, 448
Cryofixation, 517
Crystallinity, 211
Cytokines, 167, 469

δ-crystal phase, 106
Deacetylated chitin, 225
Degradation, 216
Demineralized bone, 257
Dental materials, 250
Dentin etching, 338
Dentin microstructure, 338
Dextran–methacrylate, 517
Dissolution, 176, 264
Drug delivery system, 415

ePTFE, 489
Elasticity, 479
Endothelial cell, 396
Endothelial heterogeneity, 396
Endotoxins, 469
Enthalpy, 58
Entropy, 58
Epithelial cells, 79
External stress, 233

Femoral neck, 380
Femur, 380
Fiber optics, 460
Fibers, reinforcements, 250
Fibrin glue, 305
Fibrinolytic surfaces, 409
Fibronectin, 12, 200
Fibronectin adsorption, 345
Filler content, 319
Foreign body giant cells, 141, 435
Foreign body reaction, 297
Fractal dimension, 155
Fracture toughness, 380
Free radicals, 25
Fusion, 141

Gamma-globulin, 147
Gene expression, 396
Gibbs' free energy, 58
Gluing technique, 528
Growth factors, 506

Host-tissue response, 257
Human macrophages, 435
Human osteoblasts, 155
Hydrogel, 517
Hydrolysis, 216
Hydrolytic degradation, 25
Hydroxyapatite, 43, 120, 176, 211, 244, 328

Implant materials, 17
in vitro differentiation, 423
in vitro immersion, 264
in vitro study, 216
in vivo, 176
Infection, 53
Inflammation, 489
Insulin-like growth factor-I, 415
Integrin, 79
Interface, 127
Interfaces, 423

Interferon-γ, 297
Interleukin 1, 99
Intramedullary pressure, 312
Ion release, 238
Ion-implanted polymers, 369

Joint arthroplasty, 120

Lysine, 58
Lysozyme, 36

MC3T3-E1 osteoblasts, 362
MCP-1, 396
MRI, 390
Macrophage, 238, 489
Macrophages, 141, 297, 469
Major histocompatibility complex class II, 297
Matrix-assisted laser desorption ionization mass spectrometry, 36
Matrix metalloproteinase activity, 448
Mechanical properties, 498
Microcirculation, 192
Microscopy, 460
Microstructure, 498
Migration rate, 362
Model surfaces, 362
Molecular adsorption, 469
Monocytes, 141
Morphogenesis, 17
Mouse fibroblast, 448

Nanotechnology, 1
Natural polymer, 225
Nerve regeneration, 528
Neutron diffraction, 211
Nitinol, 88
Nonsteroidal antiinflammatory drug, 53

Orthopedic surgery, 328
Osteoblast culture, 43
Osteoblast, 423
Osteoblasts, 120, 200
Osteoconductivity, 319
Osteogenesis, 257
Osteogenic protein-1, 506
Osteosynthesis materials, 192
Oxytalan fibers, 17

PCNA, 489
PET, 489
pH, 390
Particles, 469
Peptides, 66
Periodontium, 17
Photocrosslink, 289
Physicochemical, 479
Plasma polymers, 396
Plasma-sprayed deposit, 211
Plasma spraying, 244
Plasminogen, 409
Platelet releasing factor, 225
Platelets, 460
Poly(DL-lactic acid), 257
Poly(ortho ester), 257
Polyetherurethane, 99
Polyethylene, 147
Polyhydroxyalkanoates, 216
Polyhydroxyoctanoate, 216
Polyion complex, 390
Polylactide, 183
Polymer, 12
Polymethylmethacrylate, 127, 498
Polyurethane, 409
Polyurethanes, 66
Pore morphology, 517
Precipitation, 264
Proliferation, 489
Protein adsorption, 36, 58, 200, 409
Protein recognition, 1
Protein synthesis, 448
Pulsed laser deposition, 43

Rats, 479
Reconstruction, 12
Regression analysis, 479
Release, 415
Resorbable scaffold, 183
Roughness characterization, 155

Scavenging surfaces, 66
SEM, 517
Sclerotic dentin, 338
Shear strength, 127
Silane, 127
Silver implants, 192
Skinfold chamber model, 192
Slime, 53

Stainless steel, 167
Sterilization, 88
Streptococcus mutans, 250
Superoxide, 25, 99
Surface, 12
Surface analysis, 1
Surface chemistry, 141
Surface composition, 88
Surface dependent behavior, 435
Surface energy, 88
Surface modification, 264
Surface morphology, 25
Surface roughness, 88
Swelling, 312
Swelling ratio, 517
Systemic metal protein binding, 353

T_1-proton relaxation, 390
Template imprinting, 1
Tendon, 134
Thermal properties, 25
Thrombin, 66
Thrombomodulin, 396
Thrombosis, 460
Tibia, 380
Tissue engineering, 183, 305, 328, 448, 506, 534
Tissue factor, 396
Titanium, 238, 345
Topical hemostatic, 225
Total hip arthroplasty, 273
Total hip prosthesis, 147
Total joint replacement, 353
Transmission electron microscopy, 106
Tricalcium phosphate, 120, 176, 415
Tumor necrosis factor, 99
Tumorigenesis, 99

Vascular smooth muscle cells, 369
Vinculin, 79, 155
Vitronectin, 200

Wear particles, 167
Wear simulation, 147
Wettability, 345

XPS, 120
Xenograft, 134
X-ray diffraction, 211, 244

Journal of Biomedical Materials Research
Subject Index—Volume 50

Abrasive wear, 322
Actin, 428
Activation, 490
Adhesion, 490
Air pouch, 365
Alginate, 405
Alkali treatment, simulated body fluid, 35
Alkylthiols, 428
Alternate soaking process, 344
Aluminum (Al)-containing calcium-deficient carbonated hydroxyapatites, 199
Antigen delivery system, 591
Antigen processing, 591
Apatite, 35, 50
Apatites, 199
Aqueous solution, 199
Artificial bone, 8
Atelocollagen®, 138
Atomic force microscopy, 75
Attachment, 428

Bacterial adhesion, 160, 208, 302
Bacterial surface growth, 208
Bacterial ζ potentials, 463
Biocompatibility, 365, 397, 546, 566, 598
Biocompatibility testing, 131
Biodegradability, 518, 528
Biodegradable, 171, 397
Biodegradable microparticles, 440
Biodegradable polymers, 388, 452, 566
Biodegradation, 59
Biofilm formation, 160, 208
Bioglass® particulates, 97
Biomaterial, 1, 8, 353, 566, 574
Biomaterials, 114
Biomaterial carriers, 227
Biomaterial-centered infections, 208
Biomimetic, 50
Blending, 528
Block copolymer, 585
Blood compatibility, 585
BMP, 405
Bone, 50, 125
Bone cell differentiation, 67
Bone explant culture, 518
Bone formation, 184
Bone implants, 27
Bone morphogenetic protein-2, 191
Bone particles, 322
Bone regeneration, 191, 405, 440
Bone resorption, 153
Bone substitute, 1
Bone tissue engineering, 276, 452
Bovine aortic endothelial cells, 82

Calcium phosphate, 1, 125, 248
Calcium phosphate cement, 67
Calcium phosphate/collagen composite, 518
Calibration, 90
Carbonate, 199
Carbonate apatite, 353
Carboxyl group, 512
Cat, 215
Catheter-associated infection, 546
Cell adhesion, 75, 144, 331, 428
Cell adhesive shear strength, 114
Cell culture, 82, 428, 598
Cell detachment energy, 114
Cell proliferation, 144
Cell–surface interactions, 291
Central nervous system, 465
Ceramic, 43, 125
Chondrocyte, 138
CoCrMo alloy, 322
Composite, 125, 410
Composites, 375
Conductive polymer, 574
Controlled release, 191, 528
Controlled release antibiotic, 160
Corneal epithelium, 475
Crosslinked polyethylene, 381
Crystallinity, 536
Crystallization, 8, 97
Cu^{2+} ion-immobilized cellulose membrane, 110
Culture, 138
Cyclic loading, 267
Cytoplasmic delivery, 591
Cytoskeleton, 153
Cytotoxicity, 27
Cytotoxicity, metabolic, 598
Cytotoxic T lymphocyte response, 591

Delamination, 313
Dental restorative materials, 375
Dextran, 397
Dextran surfactant polymers, 302
Diopside, 8
Dissolution, 239

Electrical stimulation, 215
Encapsulation, 191
Endothelial cell, 483
Extracellular matrix, 114

Fatigue, 375
Femoral component fixation, 605
Fibronectin, 428
Fluorescence microscopy, 90
Foreign-body reaction, 259
Foreign-body response, 365
Fourier transform IR, 59
Fourier transform Raman spectroscopy (FT-Raman), 97
Fourier transform infrared spectrophotometry, 344
Fourier transform infrared spectroscopy (FTIR), 97
Fracture fixation device, 21

Gel-cast foams, 27
Genotoxicity, 21
Glass–ceramics, 8
Glass–ceramic particulate, 97
Glass–ionomers, 375
Glycosaminoglycan angiogenesis , 574
Growth factor delivery, 440, 452

Heparin, 144
Heparin-binding growth factor, 144
Heparin-carrying polystyrene, 144
High-resolution electron microscopy, 199
Hip prosthesis, 381
Histology, 276
Histomorphometry, 184
Human, 138
Hyaluronan esters, 101
Hyaluronic acid, 574
Hydration, 82

Hydrogel, 397
Hydrophobically modified dextran, 557
Hydroxyapatite, 27, 153, 178, 239, 248, 344, 353, 410, 536
Hydroxyapatite coatings, 267
Hydroxyapatite nucleation, 16

IFN-γ-receptor knock-out mice, 259
IgG, 110, 281
IL-6, 483
Immobilization, 340
Immobilized metal ion affinity chromatography (IMAC), 110
Immunocytochemistry, 153
Immunohistochemistry, 101
Implants, 131
Initial stability, 605
Injectable, 171
Injectable implant, 388
in situ, 171, 388
Interfacial interaction, 16
Internal fixation, 410
Intraocular, 566
Ion chromatography, 131
Ion release, 499

Knee prosthesis, 381

Laminin-derived peptides, 465
Langmuir–Blodgett, 75
Langmuir–Blodgett monolayer, 16
Latex, 331
Low-pressure plasma, 340
Low-vacuum SEM, 313

Macrophage adhesion, 281
Macrophages, 281
Macrophages and giant cells, 259
Marrow stromal cells, 452
Marrow stromal mesenchymal cells, 101
Metal ions, 21, 598
Metals release, 131
MHC class II, 259
Microdomain, 585
Microencapsulation, 420
Micromovement, 605
Migration, 475
Mineralization, 50
Mineralization of collagen, 518
Molecular weight cut-off, 420
Monocyte, 490
Morphology, 248
Morphology evolution, 267
Multi-electrode sensor array, 313
Murine fibroblast, 114

Nanospheres, 557
Nanosurface characteristics, 499
Nerve regeneration, 465
Neural prostheses, 215
Neutron reflectivity, 75
Neutrophils, 291
Nonelemental Ca and P, 499
Nucleation, 97

Oligopeptide, 405
Organic functional groups, 16
Osteoblast, 353, 536
Osteoblasts, 43
Osteoblastic cell proliferation, 178
Osteochondral defect, 101
Osteoclasts, 153
Osteoconductive, 410
Osteogenesis, 353
Osteoinduction, 227
Ozone, 512

Parallel plate flow chamber, 208
Particles, 43, 59
Passivation treatment, 499
PDGF, 483
Peel stresses, 313
PEO-PPO-PEO triblock copolymers, 340
Peptide amphiphile, 75
Peptide/protein delivery system, 388
Peptide sequences, 110
Permeation, 420
Pharmacokinetics, 227
Phosphorylcholine, 291
Plasma sputtering, 536
Platelet–polymer interaction, 585
PLGA microspheres, 591
Poly(acrylic acid) graft polymerization, 512
Poly(ethylene-*co*-vinyl alcohol), 512
Poly(ethylene glycol), 75, 440, 465, 585
Poly(ethylene oxide) surfactant polymers, 302
Poly(DL-lactic-*co*-glycolic acid), 440
Poly(DL-lactide-*co*-glycolide), 191
Poly(lactic acid), 557
Poly(L-lactide), 410
Poly(lactide-*co*-glycolide), 59
Poly(methyl methacrylate) particles, 322
Poly(*N*-isopropylacrylamide), 82
Poly(ortho esters), 566
Poly(propylene fumarate), 452
Poly(tetrafluoroethylene), 340
Poly(vinylpyrrolidone), 546
Polyester, 276
Polyesters, 528
Polymers, 340
Polymer blends, 440
Polymer crystal interaction, 1
Polypyrrole, 574
Polysaccharide, 405
Porosity, 475
Porous ceramics, 27
Porous membrane, 82
Precipitation method, 199
Proinflammatory cytokines, 43
Proliferation, 43
Proteins, 420
Protein adsorption, 90, 281
Protein delivery, 227
Protein resistance, 331
Pseudomonas aeruginosa, 160
Pseudomonas aeruginosa-1, 463
Pulsed laser deposition, 239, 248, 536
Pyrolytic carbon, 483

Rapid cell detachment, 82
Reactive oxygen intermediates, 365
Recombinant human bone morphogenetic proteins, 227
Reprecipitation, 239
RGD peptides, 331
Rotating disk system, 302

Scaffolds, 276
Sciatic nerve, 215
Self-assembled monolayers, 428
Self-assembled thiol monolayers, 291
S. epidermidis, 302
Shading correction, 90
Sheep, 125
Silicone elastomer, 546
Silk fabric, 344
Simulated body fluid, 16
Sister chromatid exchange, 21
Size exclusion chromatography, 420
Sodium tantalate hydrogel, 35
Sol-gel transition, 171
Solubility, 178
Stability, 267
Stainless steel, 21
Staphylococcus epidermidis, 546
Stem design, 605
Sterilization, 381
Streptococcus pyogenes-1, 463
Structure, 248
Surface chemistry, 428, 475
Surface density, 90
Surface modification, 291, 465, 557
Surface morphology, 490
Surface roughness, 322
Surface transformation, 239
Surface wettability, 490
Swelling, 313

Tantalum, 35
Tensile test, 518
Tethered ligands, 331
TGF-β, 483
Thermosensitivity, 171
Ti-6Al-4V implants, 267
Tissue engineering, 50, 101, 574

TNF soluble receptors, 388
Topography, 475
Total hip replacement, 605
Transforming growth factor β1, 67, 440, 452
Transition metal ions, 110
Transplantation, 138
Tricalcium phosphate, 178, 184
Triglyme antiadhesion coating, 160
Type I collagen, 512
Tyrosine-derived polycarbonates, 365

UV photolysis, 131
Ultrastructural study, 1

Viscosity, 8

Wear, 375, 381
Wettability, 353

X-ray diffraction, 344
X-ray photoelectron spectroscopy, 344

ζ potentials, 463
Zinc, 178
Zinc, hydroxyapatite, 184